



# bizhub 4702P

Black & white A4 printer · Up to 47 pages per minute



# bizhub 4702P

### **Customer benefits**




### Mobile connectivity

Print anytime from anywhere with Konica Minolta's innovative mobile technologies



**Services**Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

### **Options**


















# **Finishing functionalities**





Duplex

stapling (off-line)

## **Descriptions**

### bizhub 4702P

Laser printer with 47 ppm b/w. Standard Gigabit Ethernet, 512 MB memory, duplex unit, PCL 5/6, PostScript 3 and XPS support. Paper capacity of 550 sheets and 100-sheet manual bypass. Media from A6 to A4 and  $60 - 216 \text{ g/m}^2$ .

### **ENHANCED FEATURES**

UK-P12 User flash	256 MB User flash for storing fonts, forms and macros or to
	save job account log
UK-P13 Barcode card	Printer-based electronic barcode engine
UK-P14 IPDS card	Provides compatibility for IPDS printing
CONNECTIVITY	
NC-P05 Wireless LAN	Wireless LAN to network connector

OTHERS	
CU-203 Air cleaning unit	Improving indoor air quality by reduced emissions
MEDIA INPUT	
PF-P15 Paper tray	A5-A4, 250 sheets, 60-120 g/m <sup>2</sup>
PF-P16 Paper tray	A5-A4, 550 sheets, 60-120 g/m <sup>2</sup>
SCD-4000e Copier desk	Ensures ergonomic height and provides storage space
	for print media, etc.
MEDIA OUTPUT	
EH-C591 Convenience stapler	Convenient stapling of up to 50 prints per set

### **Technical specifications**

### SYSTEM SPECIFICATIONS

OTOTEN OF EON TO THOU	
Panel size/resolution	2.4" / 320 x 240
System memory	512 MB (standard)
Interface	10-Base-T/100-Base-TX/1,000-Base-T Ethernet; USB 2.0;
	Wi-Fi 802.11b/g/n (optional)
Network protocols	TCP/IP (IPv4 / IPv6); AppleTalk; Bonjour; SMB; LPD; IPP;
	SNMP; HTTP/S
Printable paper size	A6-A4, customised paper sizes
Printable paper weight	60-216 g/m²
Paper input capacity	Standard: 650 sheets; Max.: 2,300 sheets
Paper tray input (standard)	550 sheets, A6-A4, 60-120 g/m <sup>2</sup>
Paper tray input (optional)	3x 250/550 sheets; A5-A4; 60-120 g/m <sup>2</sup>
Manual bypass	100 sheets, A6-A4, custom sizes, 60-216 g/m <sup>2</sup>
Automatic duplexing	A4; 60-90 g/m <sup>2</sup>
Output capacity	Max.: 250 sheets
Print volume (monthly)	Rec.: 7,000 pages
	Max.1: 175,000 pages
Toner lifetime	Up to 25,000 pages
Imaging unit lifetime	Up to 60,000 pages
Power consumption	220-240 V / 50/60 Hz; Less than 670 W
System dimensions (W x D x H)	399 x 374 x 303 mm
System weight	Approx. 16 kg

### PRINTER SPECIFICATIONS

THE TENTON LONG TO THE	
Printing process	Electrostatic laser
Print speed A4	Up to 47 ppm
Autoduplex speed A4	Up to 24 ppm
1st print out time	6.5 sec.
Print resolution	1200 x 1200 dpi
Page description language	PCL 5/6; PostScript 3; XPS
Operating systems	Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64)
	Windows Server 2008 (32/64); Windows Server 2008 R2;
	Windows Server 2012; Windows Server 2012 R2;
	Windows Server 2016; Macintosh OS X 10.9 or later;
	Linux; Citrix
Printer fonts	89 PCL Latin; 158 PostScript 3 Emulation Latin
Print functions	Duplex, n-up, watermark, electronic sorting, USB direct print
	(PDF v1.7; TIFF; JPEG; GIF; BMP; PNG; XPS; docx; xlsx; pptx)
Mobile Printing	AirPrint (iOS), Mopria (Android), Google Cloud Print, Konica
	Minolta Mobile Print (iOS, Android & Windows 10 Mobile),
	Konica Minolta Print Service (Android)
	optional: Wifi Direct

### SYSTEM FEATURES

OTOTEWITE MONEO	
Security	TCP/UDP port disabling; certificate management; SNMPv3;
	IPSec support; HTTPS; IP filtering and port blocking; IEEE
	802.1x support; SMTP authentication; Secure print (print
	hold/PIN)
Software	PageScope Net Care Device Manager

- <sup>1</sup> If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed
- All specifications refer to A4-size paper of 80 gsm quality.
   The support and availability of the listed specifications and functionalities varies depending on operating
- systems, applications and network protocols as well as network and system configurations.

   The stated life expectancy of each consumable is based on specific operating conditions such as page coverage The actual life of each consumable will vary depending on use and other printing variables including page
- coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.

  Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
   All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

Cartridge Return Program

Konica Minolta Return Program cartridges are patented print cartridges sold at a discount in exchange for the customer's agreement to the license requirement that the cartridges will be used only once and returned only to manufacturer for remanufacturing or recycling. These patented cartridges are licensed for single use only and will stop working after delivering a fixed amount of toner. Toner may remain in the cartridge when replacement is required. Replacement cartridges sold without these restrictions (non-returnable cartridges) are also available. Please contact a Konica Minolta representative for further details and availability.





















